Amendments to the Claims:

This listing of claims will replace all prior version, and listings, of claims in the application.

Listing of Claims:

1 (Currently amended) A method for increasing ease-of-use and bandwidth utilization in a wireless device capable of accessing a communication network, comprising the steps of:

(a) sending environment information of the wireless device to a server on the communication network, wherein the environment information includes geographical location, local weather, time and date, and any combination thereof, wherein the server maintains a database of web site identifiers that are categorized by environmental factors, and queries the database using the environment information to determine web sites most likely to be requested by a user of the wireless device in that environment;

(b) receiving identifiers from the server of the web sites most likely to be requested by a user of the wireless device in that environment, wherein server policies determine which web site identifiers are sent to the device;

(c) caching the identifiers for selection by the user; and

(d) using the identifiers for lookahead data entry, wherein a user is not required to have previously entered the identifiers.

2 (Canceled).

3 (Canceled).

4   (Original) The method of claim 1 further including the step of personalizing which identifiers are pushed based on personalization information.

5   (Original) The method of claim 1 further including the step of pre-fetching content from at least one of the web sites indicated by the identifiers.

6   (Original) The method of claim 1 further including the step of informing the user that the identifiers have been received.

7   (Original) The method of claim 1 further including the step of displaying the identifiers on the wireless device for selection by the user.

8   (Canceled).

9   (Original) The method of claim 1 further including the step of periodically sending the geographic location to the server.

10 (Original) The method of claim 1 further including the step of receiving URLs as the identifiers.

11 (Original) The method of claim 1 further including the step of receiving URL keywords as the identifiers for speech recognition.

12 (Currently amended) A system for increasing ease-of-use and bandwidth utilization in a

wireless device capable of accessing a communication network, comprising:

means for sending environment information of the wireless device to a server on the

communication network, wherein the environment information includes geographical

location, local weather, time and date, and any combination thereof, wherein the server

maintains a database of web site identifiers that are categorized by environmental factors, and

queries the database using the environment information to determine web sites most likely to

be requested by a user of the wireless device in that environment;

means for receiving identifiers from the server of the web sites most likely to be requested by

a user of the wireless device in that environment, wherein server policies determine

which web site identifiers are sent to the device;

means for caching the identifiers for selection by the user; and

means for using the identifiers for lookahead data entry, wherein a user is not required to

have previously entered the identifiers.

13 (Canceled).

14 (Canceled).

15 (Original) The system of claim 12 wherein the environment information comprises time and

date.

16 (Original) The system of claim 12 further including means for personalizing which identifiers

are pushed based on personalization information.

17 (Original) The system of claim 12 further including means for pre-fetching content from at least one of the web sites indicated by the identifiers.

18 (Original) The system of claim 12 further including means for informing the user that the identifiers have been received.

19 (Original) The system of claim 12 wherein the identifiers are displayed on the wireless device for selection by the user.

20 (Canceled).

21 (Original) The system of claim 12 further including means for periodically sending the geographic location to the server.

22 (Original) The system of claim 12 wherein the URLs are received as the identifiers.

23 (Original) The system of claim 12 wherein URL keywords are received as the identifiers for speech recognition.

24 (Currently amended) A computer-readable medium containing program instructions for increasing ease-of-use and bandwidth utilization in a wireless device capable of accessing a communication network, the instructions for:

(a) sending environment information of the wireless device to a server on the communication network, wherein the environment information includes geographical location, local

-5-

weather, time and date, and any combination thereof, wherein the server maintains a
database of web site identifiers that are categorized by environmental factors, and queries
the database using the environment information to determine web sites most likely to be
requested by a user of the wireless device in that environment;

(b) receiving identifiers from the server of the web sites most likely to be requested by a user
of the wireless device in that environment, wherein server policies determine which web
site identifiers are sent to the device;

(c) caching the identifiers for selection by the user; and

(d) using the identifiers for lookahead data entry, wherein a user is not required to have
previously entered the identifiers.

25 (Canceled).

26 (Canceled).

27 (Canceled).

28 (Original) The computer-readable medium of claim 24 further including the instruction of
personalizing which identifiers are pushed based on personalization information.

29 (Original) The computer-readable medium of claim 24 further including the instruction of
pre-fetching content from at least one of the web sites indicated by the identifiers.

30 (Original) The computer-readable medium of claim 24 further including the instruction of informing the user that the identifiers have been received.

31 (Original) The computer-readable medium of claim 24 further including the instruction of displaying the identifiers on the wireless device for selection by the user.

32 (Canceled).

33 (Original) The computer-readable medium of claim 24 further including the instruction of periodically sending the geographic location to the server.

34 (Original) The computer-readable medium of claim 24 further including the instruction of receiving URLs as the identifiers.

35 (Original) The computer-readable medium of claim 24 further including the instruction of receiving URL keywords as the identifiers for speech recognition.

36 (Currently amended) A method for increasing ease-of-use and bandwidth utilization in a wireless device capable of accessing a communication network, comprising the steps of:

    (a) sending a geographic location, local weather, time and date, and any combination thereof of the wireless device to a server on the communication network, wherein the server maintains a database of web site identifiers that are categorized by environmental factors, and queries the database using the environment information to determine web sites most likely to be requested by a user of the wireless device in that environment;

(b) receiving identifiers from the server of the web sites most likely to be requested by a user of the wireless device in that environment, wherein server policies determine which web site identifiers are sent to the device;

(c) caching the identifiers for selection by the user

(d) using the identifiers for lookahead data entry, wherein a user is not required to have previously entered the identifiers.

37 (Original) The method of claim 36 further including the step of pre-fetching content from at least one of the web sites indicated by the identifiers.

38 (Original) The method of claim 36 further including the step of informing the user that the identifiers have been received.

39 (Original) The method of claim 36 further including the step of displaying the identifiers on the wireless device for selection by the user.

40 (Canceled).

41 (Original) The method of claim 36 further including the step of periodically sending the geographic location to the server.

42 (Original) The method of claim 36 further including the step of receiving URLs as the identifiers.

43 (Original) The method of claim 36 further including the step of receiving URL keywords as the identifiers for speech recognition.

44 (Currently amended) A system for increasing ease-of-use and bandwidth utilization in a wireless device capable of accessing a communication network, comprising:

means for sending a geographic location, local weather, time and date, and any combination thereof of the wireless device to a server on the communication network, wherein the server maintains a database of web site identifiers that are categorized by environmental factors, and queries the database using the environment information to determine web sites most likely to be requested by a user of the wireless device in that environment;

means for receiving identifiers from the server of the web sites most likely to be requested by a user of the wireless device in that environment, wherein server policies determine which web site identifiers are sent to the device;

means for caching the identifiers for selection by the user; and

means for using the identifiers for lookahead data entry, wherein a user is not required to have previously entered the identifiers.

45 (Original) The system of claim 44 further including means for pre-fetching content from at least one of the web sites indicated by the identifiers.

46 (Original) The system of claim 44 further including means for informing the user that the identifiers have been received.

47 (Original) The system of claim 44 wherein the identifiers are displayed on the wireless device for selection by the user.

48 (Canceled).

49 (Original) The system of claim 44 further including means for periodically sending the geographic location to the server.

50 (Original) The system of claim 44 wherein the URLs are received as the identifiers.

51 (Original) The system of claim 44 wherein URL keywords are received as the identifiers for speech recognition.

52 (Currently amended)A computer-readable medium containing program instructions for increasing ease-of-use and bandwidth utilization in a wireless device capable of accessing a communication network, the instructions for:

(a) sending a geographic location, local weather, time and date, and any combination thereof of the wireless device to a server on the communication network, wherein the server maintains a database of web site identifiers that are categorized by environmental factors, and queries the database using the environment information to determine web sites most likely to be requested by a user of the wireless device in that environment;

(b) receiving identifiers from the server of the web sites most likely to be requested by a user of the wireless device in that environment, wherein server policies determine which web site identifiers are sent to the device;

(c) caching the identifiers for selection by the user; and

(d) using the identifiers for lookahead data entry, wherein a user is not required to have

previously entered the identifiers.

53 (Original) The computer-readable medium of claim 52 further including the instruction of

pre-fetching content from at least one of the web sites indicated by the identifiers.

54 (Original) The computer-readable medium of claim 52 further including the instruction of

informing the user that the identifiers have been received.

55 (Original) The computer-readable medium of claim 52 further including the instruction of

displaying the identifiers on the wireless device for selection by the user.

56 (Canceled).

57 (Original) The computer-readable medium of claim 52 further including the instruction of

periodically sending the geographic location to the server.

58 (Original) The computer-readable medium of claim 52 further including the instruction of

receiving URLs as the identifiers.

59 (Original) The computer-readable medium of claim 52 further including the instruction of

receiving URL keywords as the identifiers for speech recognition.